



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/539,399

10/03/2006

Henry William Lupton

Q88694

4662

23373 7590 07/17/2009
SUGHRUE MION, PLLC
2100 PENNSYLVANIA AVENUE, N.W.
SUITE 800
WASHINGTON, DC 20037

EXAMINER

PANI, JOHN

ART UNIT

PAPER NUMBER

3736

MAIL DATE

DELIVERY MODE

07/17/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/539,399	Applicant(s) LUPTON, HENRY WILLIAM	
	Examiner JOHN PANI	Art Unit 3736	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 26 February 2009 and 10 April 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 54-67 and 69-77 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 54-67 and 69-77 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 4/10/2009 has been entered.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. Claim 56 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

4. Claim 56 recites the limitation "the transverse distance" in lines 1-2. There is insufficient antecedent basis for this limitation in the claim.

5. Claim 56 recites the limitation "the central major plane" in line 3. There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

7. Claims 54-67 and 69-77 are rejected under 35 U.S.C. 102(e) as being anticipated by US Pat. No. 7,083,577 to Osawa et al. ("Osawa").

8. Osawa teaches:

In reference to Claim 70

A guide wire (1) for use in a surgical or other procedure for accessing a remote site in a body of a human or animal subject (col. 1 lines 5-7), the guide wire defining a longitudinally extending axis (see Fig. 10), and terminating at one end in a proximal portion (proximal end in Fig. 10), and at an opposite end in a distal portion (23) for accessing the remote site, the distal portion having a proximal end and a distal end and being of rectangular transverse cross-section (see Fig. 8C) defining a pair of opposite major flat surfaces (the thin, flat surfaces that angle inward in Fig. 8B and are shown face on in Fig. 8C), joined by a pair of opposite minor surfaces (the top surface shown in Fig. 8B, and matching bottom surface), and terminating adjacent the distal end thereof in a guide portion (portion of 23 from left --i.e. distal-- end as depicted in Figs. 8B,C to the beginning of middle step of the three stepped portions), the guide portion being

Art Unit: 3736

adapted to be shaped to a desired curved configuration for facilitating guiding of the guide wire into a branched vessel of the subject (see col. 7 lines 31-40), and an elongated reinforcing member (middle step) located on the distal portion of the guide wire for minimizing axial twisting of the distal portion between the proximal end of the distal portion and the guide portion thereof (see col. 4 lines 50-65), the reinforcing member having a proximal end and a distal end and extending along one of the flat major surfaces of the distal portion of the guide wire from the proximal end of the distal portion to a location on the distal portion axially spaced apart from the distal end of the distal portion to define with the distal end of the distal portion the guide portion (see Figs. 8A-C).

In reference to Claim 54

A guide wire as claimed in claim 703 (see above) in which the major flat surfaces of the distal portion define a central major plane located midway between the major surfaces, and the minor surfaces of the distal portion define a central minor plane located midway between the minor surfaces (see Figs. 8A-8C).

In reference to Claim 55

A guide wire as claimed in claim 70 (see above) in which a reinforcing member is located on each major flat surface (Figs. 8A-8C).

In reference to Claim 77

A guide wire as claimed in claim 70 (see above) in which the reinforcing member extends from the major flat surface of the distal portion of the guide wire to a longitudinally extending edge, the longitudinally extending edge extending from the

Art Unit: 3736

proximal end of the reinforcing member to the distal end of the reinforcing member (see Fig. 8A).

In reference to Claim 56

A guide wire as claimed in claim 54 (see above) in which the transverse distance of the longitudinally extending edge of the reinforcing member from the central major plane is substantially constant along the reinforcing member (see Fig. 8B).

In reference to Claim 57

A guide wire as claimed in claim 54 (see above) in which the reinforcing member extends parallel to the central minor plane (i.e. radially).

In reference to Claim 58

A guide wire as claimed in claim 54 (see above) in which the reinforcing member extends at an angle greater than zero degrees to the central minor plane (the raised surfaces have extensions at various non-zero angles with respect to the central minor plane).

In reference to Claim 59

A guide wire as claimed in claim 77 (see above) in which the reinforcing member defines opposite longitudinally extending sides (portions of step visible in Fig. 8B), the opposite longitudinally extending sides of the reinforcing member terminating along the longitudinally extending edge of the reinforcing member (Fig. 8A).

In reference to Claim 60

A guide wire as claimed in claim 59 (see above) in which the opposite longitudinally extending sides of the reinforcing member are parallel to each other (note

Art Unit: 3736

that the stepped portions found on the two sides could be considered a single reinforcing member, and their opposite longitudinally extending sides are parallel, see Fig. 8B).

In reference to Claim 61

A guide wire as claimed in claim 70 (see above) in which the reinforcing member is integrally formed with the distal portion (see Fig. 8A) of the guide wire.

In reference to Claim 62

A guide wire as claimed in claim 70 (see above) in which the distal portion of the guide wire extends through a sleeve (3), and a first securing means (4) at the distal end thereof secures the distal portion to the sleeve, the first securing means defining the distal end of the guide wire (see Fig. 10).

In reference to Claim 63

A guide wire as claimed in claim 62 (see above) in which the first securing means is shaped to form a dome shaped distal end of the guide wire (see Fig. 10) for facilitating passage of the guide wire smoothly through a vessel of the subject.

In reference to Claim 64

A guide wire as claimed in 62 (see above) in which the guide portion is located between the reinforcing member (see Fig. 8A) and the first securing means (see Fig. 10)

In reference to Claim 65

A guide wire as claimed in claim 62 (see above) in which the first securing means comprises a solder joint, an adhesive joint, or a brazed joint (see col. 7 lines 58-60).

In reference to Claim 66

A guide wire as claimed in claim 62 (see above) in which the sleeve extends in a proximal direction beyond the proximal end of the distal portion along a portion of the guide wire (see Fig. 10), and that a proximal end of the sleeve is secured to the guide wire by a second securing means that comprises an adhesive joint, solder joint, or a brazed joint (see col. 7 lines 55-60).

In reference to Claim 67

A guide wire as claimed in claim 70 in which the guide wire is substantially torsionally rigid between the distal portion and the proximal portion of the guide wire for minimizing axial twisting of the guide wire between the proximal portion and the guide portion (see col. 4 lines 50-65).

In reference to Claim 69

In combination a catheter (see col. 1 lines 5-7) and the guide wire as claimed in claim 70 (see above).

In reference to Claim 71

A guide wire as claimed in claim 70 (see above) in which the reinforcing member extends in a generally axial direction (see Fig. 8A).

In reference to Claim 72

A guide wire as claimed in claim 70 (see above) in which the major flat surfaces of the distal portion converge towards each other towards the distal end of the distal portion (see Fig. 8B).

In reference to Claim 73

A guide wire as claimed in claim 54 (see above) in which the reinforcing member coincides with the central minor plane (Fig. 8A).

In reference to Claim 74

A guide wire as claimed in claim 70 (see above) in which the reinforcing member extends adjacent one of the minor surfaces (see Fig 8A).

In reference to Claim 75

A guide wire as claimed in claim 59 (see above) in which the opposite longitudinally extending sides of the reinforcing member converge towards the longitudinally extending edge of the reinforcing member for defining the longitudinally extending edge as a longitudinally extending ridge (see Fig. 8A, viewed head on, the step is a ridge).

In reference to Claim 76

A guide wire as claimed in claim 59 in which the longitudinally extending edge of the reinforcing member converges towards the distal portion adjacent the distal end of the reinforcing member (see Fig. 8A).

Response to Arguments

9. Applicant's arguments with respect to claims 54-67 and 69-77 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JOHN PANI whose telephone number is (571)270-1996. The examiner can normally be reached on Monday-Friday 7:30 am - 5:00 pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Max Hindenburg can be reached on 571-272-4726. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JP 7/15/09

/Max Hindenburg/
Supervisory Patent Examiner, Art Unit 3736

Application/Control Number: 10/539,399
Art Unit: 3736

Page 10